




	(1)(2)			(3)	(3)	
--	--------	--	--	-----	-----	--

P\$	a 9 D F	a	9 G F	:		(' & 6 6 7
P\$	a 9 D F	a	9 G F	:		(1 & g h 6 š 9 8 7 3 < G lož g h W • ŷ μ 9 8 y < G I k ž g h y i Ú ^ y < G I k ž h • 0 , u ä U ´ Å k x . x 9) R G Y Y / ° Å ` Ä å ... ŷ μ > 9 ´ ŷ μ 9 ´ / 6 v Å ´



+]





• Ñ • ž •			V	9DF ž ú
“ † © f		&		Ó “ & a 7 Ā Ÿ >

ñ Ā Ā @ f ® ...) XKK > 2GSV > 6 - ñ Oy Á ° > k Ō ð h ¢ ” Û ož

ä # 9DF (' & 6 67 (' & 6 67 (' & 6 67				ž ú k - ê “ z Ō Ñ ž k ä ‘ z ³
u ® — { ž ž •		+RXUV		< G l k ê “ - k ž ú 3/2 . * (1 ,
. x ž •		+RXUV		< G l k ž ú k q) Ó “ k ! Ō ¬ @ f . x ¼ ž
• Ó “	f &		f &	
Ā ‘ Ó “	f &		&	v Ā ‘ ñ + • Ā ‘ Ó “ ~ † 5+ WR 5+
¥ “ †	f &		f &	~ † 5+ WR 5+
> * 6 * 2 ~ = ~ . D œ 2 ~ = ~ .	~ ~ ~ ~			m 5 ö > * ~ ~ ~ ~
Ô M		J		

ñ Ā Ā @ f ® ...) XKK > 2GSV > 6 - ñ Oy Á ° > k Ō ð h ¢ ” Û ož

& (	(1 (1
. 6	. 6 &
%, 6	, 6 3 \$ 5 7 6 (&
(0 ,	
(1	& R Q G X F W H G H P L V V L R Q 7 H V W 5 D G L D W H G H P L V V L R Q 7 H V W
(1	+ D U P R Q L F F X U U H Q W H P L V V L R Q V




EDC-075S105ST-000x

Rev. C

75W IP66


(0 ,	
-------	--



EDC-075S105ST-000x


Rev. C

75W IP66




EDC-075S105ST(Io=1050mA)

效率 vs. 输出电压




EDC-075S105ST-0004(Io=860mA)



EDC-075S105ST-0007(Io=700mA)

效率 vs. 输出电压






EDC-075S105ST-000x

Rev. C

75W IP66

	' 9	9 D F	9 D F	9 D F	9 D F ä 9 ' 9 k ÿ ß ¼ •

ÿ µ 9 ' 9



X

EDC-075S105ST-000x

Rev. C

75W IP66